



Wet Chem Extinguisher

1. PRODUCT AND COMPANY

Product name: WET CHEM Extinguisher (R7WC, R2WC)
Manufacturer: Zhejiang Ruihua Machinery Co., Ltd. Yuyao, Zhejiang P. R. China
Tel: +86-574-6200 3798

2. COMPOSITION AND INFORMATION ON INGREDIENTS

| Chemical name | Quota % |
|------------------|-----------|
| ButylCarbitoll | >5%, <10% |
| AlkylSulfate | >1%, <5% |
| Fluorosurfactant | >1%, <5% |

3. HAZARD IDENTIFICATION

Ingestion: Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Swallowing a small quantity of this material will result in serious health hazard.
Must not come into contact with food or be consumed.

4. FIRST AID MEASURES

Inhalation
If there are any signs of nausea or sickness, seek medical advice
Skin contact
Wash off with water, remove contaminated soaked clothing and rinse with water
Eye contact
Flush eye with plenty of water for at least 10 minutes maintaining open eyelids
Swallowing
Wash mouth with water. Seek medical advice.

5. FIRE FIGHTING MEASURES

The product is a fire-extinguisher. After use remove residual fire extinguishing agent from corrosion sensitive materials.

6. ACCIDENTAL RELEASES MEASURES

General precautions: Remove ignition sources.
Personal precautions: Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.
Environmental precautions: Prevent entry to sewers and public waters.
Notify authorities if product enters sewers or public waters.
Clean up methods: Collect spills and put it into appropriated container.

7. HANDLING AND STORAGE

Storage temperature: +5°C - 60°C, dry and free from vibrations. Keep away from natriumhypochlorite (bleach).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Wear chemical glove and blinker to use it, wash hand after use.

Material Safety Data Sheet

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------|----------------------------|
| PH value | 8.0 +/-1.0 |
| Density(20°C) | 1.07 |
| Flash point [°C] | 47 |
| Solubility in water | Complete |
| Explode | No reliable data available |

10. STABILITY AND REACTIVITY

Stable under normal conditions

11. TOXICOLOGICAL PROPERTIES

Eye contact: The foam can cause discomfort or irritation.

12. ECOTOXICOLOGICAL INFORMATION

OECD 302B resp. EU C.9 : The test substance can be considered as "inherently biodegradable".

13. DISPOSAL CONSIDERATION

Dispose in a safe manner in accordance with local/national regulations.

General : Hazardous waste.

Dispose in a safe manner in accordance with local/national regulations.

14. TRANSPORT INFORMATION

| ADR RID | IMDG | DGR (flyg) |
|---|---|------------|
| UN nr: 1044 Class: 2 Ämnesnr: 6A Etikettnr: 2/LQ | UN no: 1044 Class: 2.2 EmS no: 2-13 MFAG no: 620 Packing group: | Class: |

15. REGULATORY INFORMATION

The foam is not classified as hazardous according to regulations for chemicals. (Information about hazards and packaging of wares, 1994). Control rules for working environment and hazardous elements in the working environment. This material safety sheet does not replace the user's own judgement of the size of the workplace and environment in accordance with the above mentioned rules. In some cases, depending on packaging size, the rules for manual handling of the product might apply.

16. OTHER INFORMATION

The information about the fire extinguishing agent in this document is based on the manufacturer's data. The information is based on the knowledge and regulations of today. It is a guide for health and environment concerns concerning to the product and should not be considered a guarantee of function. The product should never be used for anything but fire fighting, without first contacting the supplier. The user is responsible that valid laws and regulations are being followed. Additional information exists in the health and safety documents at the manufacturers'.

Contact Fire Service Plus

| | | |
|---|---|---|
| Mailing Address Po Box 311 Albion Park, NSW 2527 | Physical Address 21 Shaban Street Albion Park Rail, NSW 2527 | Phone: 0242 574366 Phone: 1800 650 180 Fax: 0242 574365 receptionist@fsp.email |
|---|---|---|